



WORLD OF FLOORING

VELOCITY

THE SIMPLEST FLOORING OPTION YET
AIR-SEALED LVT



VACUUBOND® TECHNOLOGY

A New Standard for Flooring Installation

Velocity Peel & Press flooring removes the time, mess, and cost of a traditional install. There's no glue, no extra materials, and far less prep.

The result is lower labor costs, fewer materials, and a cleaner job site —installation time drops by 50–70% versus glue-down LVT. Velocity is 100% waterproof and Class 4 slip resistant, built for heavy rolling traffic in real-world spaces.



**No Glue,
No Mess**



**50–70% Faster
Installation**



**100%
Waterproof**



**Class 4 Slip
Resistant**

Ask your World of Flooring specialist about the Velocity collection




WORLD OF FLOORING

VELOCITY

THE SIMPLEST FLOORING OPTION YET
AIR-SEALED LVT

AVAILABLE FINISHES

Twelve Finishes, One Effortless Install




GRANITE GREY



MINERAL GREY



RUSTIC OLIVE




STARBOARD



TAUPE



TIOGA



BALTIMORE




DESERT SAND




ERIS



NATURAL OAK



ROBUSTO



DECKERED

Always in stock: Tioga • Starboard • Taupe • Mineral Grey • Natural Oak

Availability varies by market —check with your local World of Flooring representative



WORLD OF FLOORING

VELOCITY

THE SIMPLEST FLOORING OPTION YET
AIR-SEALED LVT

SPECIFICATIONS

Built for Performance

PRODUCT TYPE	Vacuubond LVT
STOCK PROFILE	3.0 mm
SPECIAL ORDER PROFILE	5.0 mm
PLANK SIZE	9" x 48"
WEAR LAYER	22 mil
SURFACE FINISH	UV Coating
INSTALLATION	Vacuubond Peel & Press
EDGE TYPE	Micro Bevel

Availability varies by market. Please check with your local retailer.



Fully Waterproof Core

100% waterproof construction, Class 4 slip resistant surface



No Downtime

Walkable immediately after install —no wait, no glue cure time



Zero VOCs

No harsh chemicals or lingering odors on the job site



Instant Bond

Zero expansion, zero contraction once installed



Moisture Tolerant

Rated for subfloor moisture up to 99% RH



10-Year Warranty

Single-source warranty covering product finish and adhesive



Lifetime Adhesive Warranty

COVERAGE VacuBond LVT® warrants to the original purchaser lifetime bond performance



FloorScore
Certified



Up to 75%
Faster Install



No VOCs,
No Odors



Walkable
Upon Install



Moisture Tolerant
to 99% RH