



#### EXCEPTIONAL DESIGNS. COMPLETELY WORRY FREE.









FEATURES	BENEFITS
CORE: The core construction eliminates air pockets, which results in increased product hardness and protection from moisture.	Delivers 100% waterproof protection. <sup>(1)</sup> Provides greater impact resistance and dimensional stability for high traffic areas. <sup>(2)</sup>
TEMPERATURE: Performs at high temperatures with no crowning, cupping or wear layer delamination. <sup>(3)</sup>	No acclimation required. Installs on any level, including three season rooms and rooms with direct sunlight.
LOCK STRENGTH: The core construction enables precision milling of the lock.	Makes installation easy and fast.

Reference Footnotes: (1) As tested when installed in areas of high humidity over concrete subfloors. (2) As tested according to ASTM F3261. (3) As tested according to ASTM F3261.

#### **CLARITY PLANK**



BROWN



CARAMEL

	CLARITY PLANK
APPEARANCE	Oak
STRUCTURE	Vinyl Film + Core + Pad
SIZE	5.9″ x 48″
THICKNESS	5 mm = 4 mm + 1 mm pad attached
WEAR LAYER	12 mil
GLOSS	Low
EDGE DETAIL	Micro-beveled edges and ends
BOARD TO BOARD VARIATION	More
INSTALLATION	Locking, Below / On / Above Ground Level
WARRANTY	35-Year Limited Warranty, Residential Use
SQ. FT. PER CARTON	23.64
CARTONS PER PALLET	60
PALLETS PER CONTAINER/TRUCK	15



WORLD OF FLOORING



# **CLARITY PLANK**





# TAN

5.9 in Wide x 5 mm Thick, Low Gloss 23.64 sq. ft. per carton



# **CLARITY PLANK**





# **BACKWOOD BROWN** 5.91 in Wide x 5 mm Thick, Low Gloss 23.64 sq. ft. per carton




# **CLARITY PLANK**



**SLATE GRAY** 5.91 in Wide x 5 mm Thick, Low Gloss 29.53 Sq. ft. per carton



### **CLARITY PLANK**





**SEASHELL GRAY** 5.91 in Wide x 5 mm Thick, Low Gloss 23.64 sq. ft. per carton



## **CLARITY PLANK**





**CARAMEL** 5.91 in Wide x 5 mm Thick, Low Gloss 23.64 sq. ft. per carton