



# EXCELLENCE IV PLANK

LUXURY VINYL PLANK





# EXCELLENCE IV PLANK



**UPTOWN GREY**



**TAVERN GREY**

## Benefits





# EXCELLENCE IV PLANK

## Application

Perfect for any room, any level; residential and commercial alike.

- Kitchens
- Bedrooms
- Laundry Rooms
- Basements
- Foyers
- Offices
- Bathrooms
- Living Rooms

## Installation Method

Floating Click

## Warranty

Lifetime Residential Warranty  
10 Year Commercial Warranty

## Product Information for Excellence III Plank

Plank Size.....6" X 48" With Attached Pad

Thickness.....5mm

Square Footage per Carton.....19.69 sq.ft.

Square Footage per Pallet.....1,653.96 sq. ft.

Edge Description.....Micro Bevel

Finish.....Urethane with Double UV Coating

## Accessories

### Versa Edge Extra Tall Stairnose, 94" Long



Castle  
VEX -109803



Tavern Grey  
VEX -109804

Color Name:  
Style Number:

### Vinyl T-Molding



Black  
CD - 40



Brown  
CD - 47



Clay  
CD - 09

Color Name:  
Style Number:



# EXCELLENCE IV PLANK

Style Number  
Style Name  
Construction  
Wear Layer Finish  
Wear Layer Thickness  
Overall Thickness  
Attached Cushion

RP60D  
**EXCELLENCE IV**  
Class III High Performance LVP  
Urethane with Double UV Coating  
**20 mil**  
5mm (4 mm SPC / 1mm EVA)  
1mm EVA

## FEATURES

Plank Edge  
Texture  
Plank Size  
Installation

Square Edge  
Standard Embossing  
**6" x 48"**  
Floating

## TESTING

Impact Sound Conduction / ASTM E492-09 Sound  
Transmission Class / ASTM E90-09 Slip Resistance /  
ASTM D2047 Dimensional Stability / ASTM F2199  
Residual Indentation / ASTM F1914  
Static Load Limit / ASTM F970  
Resistance to Heat / ASTM F1514 Resistance to Light /  
ASTM F1515 Resistance to Chemicals / ASTM F925  
Radiant Flux / ASTM E648  
Smoke Density / ASTM E662

IIC 60  
STC 52  
0.94 Wet  
Pass  
Pass  
Pass  
Pass  
Pass  
Pass  
>0.45 watts/cm<sup>2</sup>, NFPA Class I  
Pass, <450

## WARRANTY

30 YEAR RESIDENTIAL 10  
YEAR COMMERCIAL

## ENVIRONMENTAL

Indoor Air Quality

FloorScore® certified

**BETTER PRODUCT**

**BETTER VALUE**

**BETTER SOLUTIONS**